

Issues in Multimedia
Authoring Lecture 3:
Berners-Lee and the
WWW

Keith Douglas

Summary

- B-L a researcher at CERN
- Shows how hypertext and Internet could merge
- Decentralized, user annotations
- Incorporated multimedia features (sound, video, pictures)

1989 - Computing

- Personal computer now ~13 years old
- IBM (and clones) established in PC market
- Mac OS and Windows around
- 68030/040 and 80386/486 high end microprocessors
- AOL founded
- First ANSI C standard

1989 - Other Happenings

- Soviets withdraw from Afghanistan
- Fatwa pronounced against Salman Rushdie
- “Cold fusion” debacle
- Exxon Valdez oil disaster
- Tiananmen Square protest
- Berlin wall torn down
- École Polytechnique Massacre
- Ayer dies

Berners-Lee's Proposal: Summary (I)

- Introduced the term “World Wide Web”
- Information management method that does not “place its own restraints on the information”
- Nodes (either textual or graphical) and links
- 5 key link relationships:
 - is a part of
 - made
 - refers to
 - uses
 - is an example of

Berners-Lee's Proposal: Summary (II)

- 6 other structural features
 - remote access across networks is necessary
 - different systems be able to access the same data
 - systems be linkable together without central coordination
 - existing data be still accessible
 - users can add their own links to and from public information
 - users can annotate links / nodes privately
- Plain text; formatting and graphics optional

Comparison with Current WWW (I)

- Nodes and links broadly same
- Difference between static and temporary link nonexistent: instead we have error conditions
- Dynamic content comes in many flavours from Flash to PHP; some use of other protocols (RTSP); embedded languages (ECMAScript)

Comparison (II)

- Remote access successful: WWW available almost everywhere on Earth - cell phone, satellite connections
- Even old OSes have web browsers (e.g. OS/2, AmigaOS)
- Internet passes on its semi-non-centralization to WWW
- Some groups (but not with any fixed location): ICANN, Internic, W3C
- No *enforced* central control; voluntary structure
- Political control some places (e.g. China)

Comparison (III)

- HTTP does not access old data itself
- Web browsers often “speak” gopher and ftp
- Some old protocols not integrated (tn3270 from my student days); less issue now
- Creating one’s own link requires access to server
- Browser functions work here too:
bookmarks - naming links; naming nodes
hard

Comparison (IV)

- Pages which work text-only vanishing
- “Bells and Whistles” popular - plugins etc.
- HTML includes non-ASCII characters, font and style changes, etc.

To think about or do

- Build a small website to illustrate Berners-Lee's requirements
- TTQ: What do you think led to the success of Berners-Lee's proposal?
- Research a particular country's WWW censorship